

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		(direct\$5 mutual\$5 bypass\$5) adj4 print\$5 adj2 (job\$5 data\$5 type\$5)) with (postscript\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 13:48
		(direct\$5 mutual\$5 bypass\$5) adj4 print\$5 adj2 (job\$5 data\$5 type\$5)) with (postscript\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 13:48
L1	2	("6417931").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/23 16:55
L2	2	("20020069228").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/23 16:55
S1	2	("6618163").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 17:28
S2	0	(bypass\$5 adj2 interactiv\$5) same print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 17:28
S3	3	(bypass\$5 with interactiv\$5) same print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 13:31
S4	0	(interactiv\$5 adj2 print\$5 adj2 job\$5) with (stack\$5 with type\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 13:32
S5	1	(interactiv\$5 adj2 print\$5 adj2 job\$5) with header\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 13:32

S6	41	(interactiv\$5 adj2 print\$5 adj2 job\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 13:36
S7	2	("6181893").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/20 13:44
S8	1	(bypass\$5 mutual\$5) with (buffer\$5 spool\$5) with (print\$5 near7 type\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 13:45
S9	9	bypass\$5 with (print\$5 adj2 (type\$5 data\$5 job\$5)) with (buffer\$5 spooler\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 13:48
S10	5	((direct\$5 mutual\$5 bypass\$5) adj4 print\$5 adj2 (job\$5 data\$5 type\$5)) with (postscript\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 14:00
S11	2	("6204867").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/20 14:36
S12	3	("6606164").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/20 14:38
S13	2	("5898823").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/21 11:33
S14	811	(bypass\$5 adj2 controller\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 11:34
S15	3	(bypass\$5 adj2 controller\$5) with print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 11:34

S16	11	(bypass\$5 adj2 controller\$5) same print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 11:35
S17	8	S16 not S15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 11:34
S18	48	(bypass\$5 near4 controller\$5) same print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 11:35
S19	40	S18 not S17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 11:35
S20	18	S19 and @ad<"20000124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 11:47
S21	2	(bypass\$5 near4 (controller\$5 spooler\$5 buffer\$5)) with (postscript\$5 interactive\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 11:44
S22	1	(bypass\$5 near4 (controller\$5 spooler\$5 buffer\$5)) with (postscript\$5 interactive\$5) with print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 11:44
S23	2	(bypass\$5 near4 (controller\$5 spooler\$5 buffer\$5)) same (postscript\$5 interactive\$5) same print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 11:47
S24	97	(bypass\$5 near4 (controller\$5 spooler\$5 buffer\$5)) same print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 11:47
S25	46	S24 and @ad<"20000124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 14:20

S26	2	("5898823").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/21 12:13
S27	11	"5898823"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 12:19
S28	2	("6665082").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/21 12:22
S29	0	(mutual\$5 direct\$5) adj2 (communicat\$5) with (print\$5 image\$5 adj2 form\$5 adj2 apparatus\$5 record\$5 adj2 apparatus\$5 copy adj2 machine\$5) with (print\$5 adj2 job\$5 adj2 type\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 12:23
S30	1	(mutual\$5 direct\$5) adj2 (communicat\$5) same (print\$5 image\$5 adj2 form\$5 adj2 apparatus\$5 record\$5 adj2 apparatus\$5 copy adj2 machine\$5) same (print\$5 adj2 job\$5 adj2 type\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 12:23
S31	95	(stor\$5 stack\$5) adj3 only\$5 adj4 (header\$5 predetermin\$5 adj2 type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 13:59
S32	0	(stor\$5 stack\$5) adj3 only\$5 adj4 (header\$5 predetermin\$5 adj2 type) same print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 14:00
S33	14	(stor\$5 stack\$5) adj3 only\$5 adj4 (header\$5 predetermin\$5 adj2 type) and print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 14:03
S34	0	(bypass\$5 adj2 (buffer\$5 spooler\$5 server\$5)) same (interrupt\$5 adj2 print\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 14:08

S35	0	(bypass\$5 with (buffer\$5 spooler\$5 server\$5)) same (interrupt\$5 adj2 print\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 14:09
S36	0	(mutual\$5 direct\$5) adj2 (communicat\$5) same (interrupt\$5 adj2 print\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 14:19
S37	1016	(mutual\$5 direct\$5) adj2 (communicat\$5) same (interrupt\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 14:19
S38	2	(mutual\$5 direct\$5) adj2 (communicat\$5) same (interrupt\$5 near4 print\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 14:20
S39	10	(mutual\$5 direct\$5) adj2 (communicat\$5) same (interrupt\$5 with print\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 14:24
S40	25	(bypass\$5 near4 queue\$5) same print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 14:20
S41	15	S40 and @ad<"20000124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 14:26
S42	0	(determin\$5 adj4 type\$5 near7 print\$5 adj2 (data\$5 job\$5 image\$5 condition\$5)) same bypass\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 14:25
S43	0	(determin\$5 adj4 type\$5 near7 print\$5 adj2 (data\$5 job\$5 image\$5 condition\$5)) same (bypass\$5 mutual\$5 adj2 communicat\$5 direct\$5 adj2 communicat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 14:25
S44	1	(determin\$5 with type\$5 with print\$5 adj2 (data\$5 job\$5 image\$5 condition\$5)) same (bypass\$5 mutual\$5 adj2 communicat\$5 direct\$5 adj2 communicat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 14:26

S45	879	(determin\$5 with type\$5 with print\$5 adj2 (data\$5 job\$5 image\$5 condition\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 14:27
S46	437	S45 and @ad<"20000124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 14:28
S47	4498	(type\$5 near4 print\$5 adj2 (data\$5 job\$5 image\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 14:28
S48	16	(type\$5 near4 print\$5 adj2 (data\$5 job\$5 image\$5)) with (postscript\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 14:29
S49	2	S48 and @ad<"20000124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 14:29
S50	45	(type\$5 with print\$5 adj2 (data\$5 job\$5 image\$5)) with (postscript\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 14:29
S51	20	S50 and @ad<"20000124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 14:31
S52	18	S51 not S49	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 14:31
S53	171	(direct\$5 adj3 print\$5) same postscript\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 14:31
S54	74	S53 and @ad<"20000124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 14:41

S55	2758	print\$5 adj4 without\$5 with (stor\$5 buffer\$5 spool\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 14:41
S56	490	print\$5 adj4 without\$5 with (buffer\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 14:41
S57	403	S56 and @ad<"20000124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 14:42
S58	176	print\$5 adj4 without\$5 with (buffer\$5 near4 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 14:43
S59	145	S58 and @ad<"20000124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 14:44
S60	33	without\$5 adj2 stor\$5 adj4 buffer\$5 same print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 14:43
S61	28	S60 and @ad<"20000124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 14:53
S62	41	(type\$2 adj2 print\$5 adj2 data) with (bypass\$5 direct\$5 mutual\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 14:49
S63	31	S62 and @ad<"20000124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 14:50
S64	0	(bypass\$5 adj2 (buffer\$5 storag\$5 server\$5 spooler\$5 controller\$5)) same print\$5 adj2 job\$5 adj2 type\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 14:52

S65	0	(bypass\$5 adj2 (buffer\$5 storag\$5 server\$5 spooler\$5 controller\$5)) same print\$5 adj2 (job\$5 type\$5) adj2 type\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 14:52
S66	0	(bypass\$5 adj2 (buffer\$5 storag\$5 server\$5 spooler\$5 controller\$5)) same print\$5 adj2 (job\$5 type\$5 information\$5) adj2 type\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 14:52
S67	2343	(bypass\$5 adj2 (buffer\$5 storag\$5 server\$5 spooler\$5 controller\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 14:52
S68	2	(bypass\$5 adj2 (buffer\$5 storag\$5 server\$5 spooler\$5 controller\$5)) same print\$5 near8 type\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 14:53
S69	48	(bypass\$5 adj2 (buffer\$5 storag\$5 server\$5 spooler\$5 controller\$5)) same print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 14:57
S70	22	S69 and @ad<"20000124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 14:59
S71	2	("20020032703").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/21 14:56
S72	1	(bypass\$5 adj2 (buffer\$5 storag\$5 server\$5 spooler\$5 controller\$5)) same postscript\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 14:57
S73	1	(bypass\$5 adj4 (buffer\$5 storag\$5 server\$5 spooler\$5 controller\$5)) same postscript\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 14:58
S74	3	(bypass\$5 with (buffer\$5 storag\$5 server\$5 spooler\$5 controller\$5)) same postscript\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 14:58

S75	4238	(bypass\$5 adj4 (buffer\$5 storag\$5 server\$5 spooler\$5 controller\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 14:58
S76	13	(bypass\$5 adj4 (buffer\$5 storag\$5 server\$5 spooler\$5 controller\$5)) and postscript\$5 and print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 14:59
S77	2	S76 and @ad<"20000124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 15:00
S78	705	(bypass\$5 adj4 (buffer\$5 storag\$5 server\$5 spooler\$5 controller\$5)) and print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 15:00
S79	360	S78 and @ad<"20000124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 15:09
S80	151	(bypass\$5 adj4 (buffer\$5 storag\$5 server\$5 spooler\$5 controller\$5)) same (print\$5 record\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 15:00
S81	81	S80 and @ad<"20000124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 15:04
S82	4	"6476930"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 15:08
S83	23	(mutual\$5 adj2 communication\$5) with print\$5 adj2 (data\$5 job\$5 image\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 15:08
S84	9	S83 and @ad<"20000124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 15:11

S85	20	(interactiv\$5 adj2 print\$5) with queue\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 15:11
S86	9	S85 and @ad<"20000124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 15:12
S87	1290	(without adj4 queue\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 15:12
S88	27	(without adj4 queue\$5) same print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 15:12
S89	7	S88 and @ad<"20000124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 15:48
S90	2	("6476930").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/21 15:47
S91	9453	(bypass\$5 adj2 control\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 15:48
S92	30	(bypass\$5 adj2 control\$5) with print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 15:48
S93	21	S92 and @ad<"20000124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 16:00
S94	0	(stack\$5 adj2 job adj2 header\$5 adj2 only)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 15:53

S95	0	(stack\$5 adj2 job adj2 header\$5 near4 only)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 15:53
S96	0	(stack\$5 stor\$5) adj2 (job adj2 header\$5) with only	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 15:53
S97	4	(stack\$5 stor\$5) adj2 (job adj2 header\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 15:59
S98	83	(job\$4 adj2 (header\$5 information\$5)) with buffer\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 16:02
S99	52	S98 and @ad<"20000124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 16:02
S10 0	24	(stor\$5 stack\$5) adj4 (job\$4 adj2 (header\$5 information\$5)) with buffer\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 16:02
S10 1	12	S100 and @ad<"20000124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 16:24
S10 2	2	JP-10086489-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 16:05
S10 3	2	("20020089695").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/21 16:22
S10 4	0	(stor\$5 stack\$5) adj4 only\$5 adj4 job\$5 adj2 header\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 16:22

S10 5	0	(stor\$5 stack\$5) adj4 only\$5 near8 job\$5 adj2 header\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 16:23
S10 6	160376	(stor\$5 stack\$5) adj4 only\$5 near8 withadj2 header\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 16:23
S10 7	12399	(stor\$5 stack\$5) adj4 only\$5 with (job\$5 aj2 information\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 16:23
S10 8	16	(stor\$5 stack\$5) adj4 only\$5 with (job\$5 adj2 information\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 16:25
S10 9	12	S101 and @ad<"20000124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 16:24
S11 0	6	S108 and @ad<"20000124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 16:26
S11 1	0	(stor\$5 stack\$5) adj4 only\$5 with (job\$5 adj2 header\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 16:26
S11 2	0	(stor\$5 stack\$5) near7 only\$5 with (job\$5 adj2 header\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 16:26
S11 3	38	(stor\$5 stack\$5) near7 only\$5 with (job\$5 adj2 information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 16:26
S11 4	14	S113 and @ad<"20000124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/21 16:26

S11 5	2	("20010022668").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/23 13:03
S11 6	16019	(RAM near4 buffer\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 13:04
S11 7	3	(determin\$5 adj2 type\$5) with print\$5 adj2 (job\$5 adj2 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 13:37
S11 8	5	(determin\$5 near4 type\$5) with print\$5 adj2 (job\$5 adj2 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 13:38
S11 9	2	S118 not S117	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 13:42
S12 0	2	ep-820004-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 16:53